

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	40	(BAEK-HEUME-IL or KIM-GI-HONG).in.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:00
L2	2	("20040119931").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/08/02 15:00
L3	181929	(LG or PHILIPS).as.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:00
L4	7224	(LG and PHILIPS).as.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:00
L5	933	("LG.PHILIPS").as.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:00
L6	13213	345/54,55,87,88,89,90,92,93, 94,95,96,97,98,99,100,101, 103,204,205,209,690.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:04
L7	2058	349/37,41,42,54.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:06

L8	9347	(electric adj field) with align\$5	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:06
L9	6930	field near align\$5	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:06
L10	48118	ferroelectric\$3 or (ferro adj electric\$3)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:06
L11	497824	(liquid adj crystal) or LCD	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:06
L12	454113	(thin adj film) or TFT	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:06
L13	2628	offset\$4 near configur\$5	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:06
L14	1258	adjacent near (data adj line)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:06

L15	7	ON adj voltage	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:07
L16	110979	threshold near voltage	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:07
L17	17845	(gate and data) near (line or electrode or wir\$4)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:07
L18	108016	(revers\$4 or opposite) near polarity	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:07
L19	54	("1/2" or half) adj ("V" adj switch\$4)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:07
L20	2932	"V" adj switch\$4	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:07
L22	9769571	("10" or ten) or ("400" or (four adj hundred))	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:07

L23	51468	("0" or zero or "1" or one) adj volt	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:07
L24	41379	floating adj (state or gate)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:07
L25	446577	float\$4	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:07
L28	3368	(data and gate) near driv\$4	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:07
L29	682861	video	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/08/02 15:07

*JP*  
8/2/05